

Hypertension

High blood pressure, or hypertension, afflicts an estimated one in four American adults. This condition puts a strain on the heart and blood vessels and greatly increases the risk of stroke and heart disease.

Emerging research indicates that the endogenous cannabinoid system plays a role in regulating blood pressure, though its mechanism of action is not well understood.[1] Animal studies demonstrate that anandamide and other endocannabinoids profoundly suppress cardiac contractility in hypertension and can normalize blood pressure,[2-3] leading some experts to speculate that the manipulation of the endocannabinoid system "may offer novel therapeutic approaches in a variety of cardiovascular disorders." [4]

The administration of natural cannabinoids has yielded conflicting cardiovascular effects on humans and laboratory animals.[5-9] The vascular response in humans administered cannabis in experimental conditions is typically characterized by a mild increase in heart rate and blood pressure. However, complete tolerance to these effects develops quickly and potential health risks appear minimal.[10-11]

Cannabinoid administration in animals is typically associated with vasodilation, transient bradycardia and hypotension,[12] as well as an inhibition of atherosclerosis (hardening of the arteries) progression.[13-15] The administration of synthetic cannabinoids have also been shown to lower blood pressure in animals and have not been associated with cardiotoxicity in humans.[16]

At this time, research assessing the clinical use of cannabinoids for hypertension is in its infancy[17] and potentially higher-risk populations are largely cautioned by experts to refrain from cannabis smoking.[18]

REFERENCES

[1] Franjo Grotenhermen. 2006. Clinical pharmacodynamics of cannabinoids. In Russo et al (Eds) *Handbook of Cannabis Therapeutics*. Binghampton, New York: Haworth Press.

[2] Batkai et al. 2004. Endocannabinoids acting at cannabinoid-1 receptors regulate cardiovascular function in hypertension. *Circulation* 110: 1996-220.

[3] Pacher et al. 2005. Blood pressure regulation by endocannabinoids and their receptors (PDF). *Neuropharmacology* 48: 1130-1138.

[4] Ibid.

[5] Cecilia Hillard. 2000. Endocannabinoids and vascular function. *Journal of Pharmacology and Experimental Therapeutics*. 294: 27-32.

[6] Kunos et al. 2000. Endocannabinoids as cardiovascular modulators. *Chemistry and Physics of Lipids* 108: 159-168.

[7] Reese Jones. 2002. Cardiovascular system effects of marijuana. *Journal of Clinical Pharmacology*. 42: 58-63.

[8] Ribuot et al. 2005. Cardiac and vascular effects of cannabinoids: toward a therapeutic use? *Annales de Cardiologie et d'Angéiologie (France)* 54: 89-96.

[9] Steven Karch. 2006. Cannabis and cardiotoxicity. *Forensic Science, Medicine, and Pathology*. 2: 13-18.

[10] Ibid.

[11] Rodondi et al. 2006. Marijuana use, diet, body mass index and cardiovascular risk factors. *American Journal of Cardiology* 98: 478-484.

[12] Reese Jones. 2002. op. cit.

[13] Steffens and Mach. 2006. Towards a therapeutic use of selective CB2 cannabinoid receptor ligands for atherosclerosis. *Future Cardiology* 2: 49-53.

[14] Steffens et al. 2005. Low dose oral cannabinoid therapy reduces progression of atherosclerosis in mice. *Nature* 434: 782-786.

[15] Steffens and Mach. 2006. Cannabinoid receptors in atherosclerosis. *Current Opinion in Lipidology* 17: 519-526.

[16] Steven Karch. 2006. op. cit.

[17] Francois Mach. 2006. New anti-inflammatory agents to reduce atherosclerosis. *Archives of Physiology and Biochemistry* 112: 130-137.

[18] Thomas et al. 2014. Adverse cardiovascular, cerebrovascular, and peripheral vascular effects of marijuana inhalation: what cardiologists need to know. *American Journal of Cardiology* 113: 187-190.